BBA

Biomembranes

Vol. 1106, 1992

Cumulative Contents

Regular Papers

Properties of oligomycin-induced occlusion of Na^+ by detergent-solubilized Na,K-ATPase from pig kidney or shark rectal gland
M. Esmann (Denmark) 1

Mediation of inorganic anion transport by the hydrophobic domain of mouse erythroid band 3 protein expressed in oocytes of *Xenopus laevis*
S. Lepke, A. Becker and H. Passow (Germany) 13

Effects of GTP analogues and activation of endogenous protein kinases on photoaffinity labeling with [^{3}H](+)PN200-110 of crude membranes from rat heart and brain
S. Ichida, A. Masada, T. Yoshioka, H. Kishino, T. Akimoto and T. Wada (Japan) 17

The stability and functional properties of proteoliposomes mixed with dextran derivatives bearing hydrophobic anchor groups
M.G.L. Elferink, J.G. De Wit, G. In 't Veld, A. Reichert, A.J.M. Driessen, H. Ringsdorf and W.N. Konings (Netherlands, Germany) 23

Effect of pCMBS on anion transport in human red cell membranes
Z.-h. Zhang and A.K. Solomon (USA) 31

Interaction of cholesterol with conformationally restricted phospholipids in vesicles
R. Bittman, L. Fugler, S. Clejan, M.D. Lister and A.J. Hancock (USA) 40

Transport function and subcellular distribution of purified human erythrocyte glucose transporter reconstituted into rat adipocytes
I. Jo, J.S. Hah, A.L. Rampal, R. Chakrabarti, A.R.P. Paterson, J.D. Craik, C.E. Cass, C.R. Zobel and C.Y. Jung (USA, Canada) 45

Assay of the Ca pump ATPase activity of intact red blood cells
L. Wu, T.R. Hinds and F.F. Vincenzi (USA) 56

Numerical simulation of assay of the calcium pump of intact red blood cells
F.F. Vincenzi and T.R. Hinds (USA) 63

K^+-site-directed pyridine derivative, AU-1421, activates hydrolysis of the K^+-sensitive phosphoenzyme of sarcoplasmic reticulum Ca^{2+}-ATPase and inactivates that of K^+-transporting ATPases
Y. Fukushima, S. Asano and J. Takada (Japan) 71

Calcitonin-induced changes in the organization of sulfatide-containing membranes
P. Viani, G. Cervato, P. Gatti and B. Cestaro (Italy) 77

Glycosphingolipid phase behaviour in unsaturated phosphatidylcholine bilayers: a ^{2}H-NMR study
M.R. Morrow, D. Singh, D. Lu and C.W.M. Grant (Canada) 85

Studies of alcohol-induced interdigitated gel phase in phosphatidylcholine multilamellar vesicles by the excimer method
M. Yamazaki, M. Miyazu and T. Asano (Japan) 94

Heterogeneity of the Na^+-H^+ antiport systems in renal cells
S. Viniegra, E.J. Cragoe Jr. and C.A. Rabito (USA) 99

Characterization of essential arginine residues implicated in the renal transport of phosphate and glucose
J. Strévey, V. Vachon, B. Beaumier, S. Giroux and R. Béliveau (Canada) 110

Rapid purification and reconstitution of a plant vacuolar ATPase using Triton X-114 fractionation: subunit composition and substrate kinetics of the H^+-ATPase from the tonoplast of *Kalanchoë daigremontiana*
M. Warren, J.A.C. Smith and D.K. Apps (UK) 117

Involvement of cytoskeletal proteins in the barrier function of the human erythrocyte membrane. I. Impairment of resealing and formation of aqueous pores in the ghost membrane after modification of SH groups
S. Klonk and B. Deuticke (Germany) 126

Involvement of cytoskeletal proteins in the barrier function of the human erythrocyte membrane. II. Formation of membrane leaks in ghost membranes after limited proteolysis of skeletal proteins by trypsin
S. Klonk and B. Deuticke (Germany) 137

Involvement of cytoskeletal proteins in the barrier function of the human erythrocyte membrane. III. Permeability of spectrin-depleted inside-out membrane vesicles to hydrophilic nonelectrolytes. Formation of leaks by chemical or enzymatic modification of membrane proteins
S. Klonk and B. Deuticke (Germany) 143

The ionization behavior of retinoic acid in aqueous environments and bound to serum albumin
N. Noy (USA) 151

The ionization behavior of retinoic acid in lipid bilayers and in membranes
N. Noy (USA) 159

Improvement of reconstitution of the Cl^--translocating ATPase isolated from *Acetabularia acetabulum* into liposomes and several anion pump characteristics
T. Ohhashi, T. Katsu and M. Ikeda (Japan) 165

Monensin-mediated transports of H^+, Na^+, K^+ and Li^+ ions across vesicular membranes: T-jump studies
B.S. Prabhananda and M.H. Kombrabail (India) 171

Spontaneous domain formation of phospholipase A_2 at interfaces: fluorescence microscopy of the interaction of phospholipase A_2 with mixed monolayers of lecithin, lysolecithin and fatty acid
A. Reichert, H. Ringsdorf and A. Wagenknecht (Germany) 178

Evidence for an internal pool of nucleoside transporters in mammalian reticulocytes
L. Liang and R.M. Johnstone (Canada) 189

Effects of intracellular signals on Na^+/K^+-ATPase pump activity in the frog skin epithelium
J. Ehrenfeld, I. Lacoste and B.J. Harvey (France) 197

Interaction of clathrin with large unilamellar phospholipid vesicles at neutral pH. Lipid dependence and protein penetration
J. Seppen, J. Ramalho-Santos, A.P. De Carvalho, M. Ter Beest, J.W. Kok, M.C. Pedroso de Lima and D. Hoekstra (Netherlands, Portugal) 209

Molecular evidence for two renal Na^+/glucose cotransporters
A.M. Pajor, B.A. Hirayama and E.M. Wright (USA) 216

Characterization of Na^+/H^+ exchange in FRTL-5 thyroid cells. Evidence for dependence on activation of protein kinase C
K. Törnquist and S. Alinen (Finland) 221

Monte Carlo studies of a model for lipid-gramicidin A bilayers
J. Xing and H.L. Scott (USA) 227

Protein sorting between mitochondrial outer and inner membranes. Insertion of an outer membrane protein into the inner membrane
J.-M. Li and G.C. Shore (Canada) 233

Interdigitated bilayer packing motifs : Raman spectroscopic studies of the eutectic phase behavior of the 1-stearoyl-2-caprylphosphatidylcholine/dimyristoylphosphatidylcholine binary mixture
J.L. Slater, C.-h. Huang and I.W. Levin (USA) 242

Interfacial pH modulation of membrane protein function in vivo. Effect of anionic phospholipids
V. Calderón and J. Cerbón (México) 251

Uptake of L-leucine and L-phenylanine across the basolateral cell surface in isolated oxyntic glands
L. Sobrevía, V. Medina, K. Reinicke and I. Bravo (Chile) 257

An electrophysiological and spectroscopic study of the properties and structure of biological calcium channels. Investigations of a model ion channel
D.G. Reid, L.K. MacLachlan, C.J. Salter, M.J. Saunders, S.D. Jane, A.G. Lee, E.J. Tremeer and S.A. Salisbury (UK) 264

Molecular packing parameters of bipolar lipids
F. Cavagnetto, A. Relini, Z. Mirghani, A. Gliozzi, D. Bertoia and A. Gambacorta (Italy) 273

Interaction of retinol and retinoic acid with phospholipid membranes. A differential scanning calorimetry study
A. Ortiz, F.J. Aranda and J.C. Gómez-Fernández (Spain) 282

Identification and purification of the aspartate/glutamate carrier from bovine heart mitochondria
F. Bisaccia, A. De Palma and F. Palmieri (Italy) 291

Lack of effect on the sodium efflux of the microinjection of D-Ins(1,4,5)P_3 into ouabain-poisoned barnacle muscle-fibers
E.E. Bittar and Y.-P. Huang (USA) 297

Nucleoside transport in cultured LLC-PK_1 epithelia
D.A. Griffith, A.J. Doherty and S.M. Jarvis (UK) 303

Uptake of tyramine cellobiose by rat liver
Z.-D. Zhong, M. Jadot, S. Wattiaux-De Coninck and R. Wattiaux (Belgium) 311

Effect of bacteriorhodopsin on the orientation of the headgroup of 1,-2-dimyristoyl-*sn*-glycero-3-phosphocholine in bilayers: a ^{31}P- and ^2H-NMR study
P. Gale and A. Watts (UK) 317

Effects of local anesthetics on the *Chara* plasmalemma
S. Nosaka, T.-a. Ohkawa, K. Okihara and K. Yoshikawa (Japan) 325

Alcohol interaction with high entropy states of macromolecules: critical temperature hypothesis for anesthesia cutoff
Y. Kaminoh, S. Nishimura, H. Kamaya and I. Ueda (USA) 335

Cumulative Contents, Vol. 1106 345

Author Index 347